
























PRESSURE AIR TANK - HORIZONTAL



Technical Specifications

	AD 2000	
DESIGN CODES	EN 13445	
	ASME SEC. VIII DIV.1	
DESIGN PRESSURE	10 / 16 / 40 Bar	
TEST PRESSURE	15 / 24 / 60 Bar	

PRODUCT CODE	VOLUME (LITERS)	A (mm)	B (mm)	C (mm)	D (mm)	E max (mm)
S-HAT 100	100	323	1500	750	1750	480
S-HAT 200	200	400	1500	750	1750	550
S-HAT 300	300	550	1200	600	1560	700
S-HAT 500	500	600	1500	750	1890	750
S-HAT 750	750	750	1500	750	1930	900
S-HAT 1000	1000	850	1500	750	2000	1000
S-HAT 1500	1500	1000	1500	750	2060	1200
S-HAT 2000	2000	1150	1500	750	2140	1350
S-HAT 3000	3000	1400	1500	750	2280	1600
S-HAT 4000	4000	1600	1500	750	2400	1800
S-HAT 5000	5000	1600	2000	1000	2900	1800
S-HAT 6000	6000	1600	2500	1250	3400	1800
S-HAT 8000	8000	1600	3500	1750	4400	1800
S-HAT 10000	10000	1600	4500	2250	5400	1800

Above mentioned items are our standard products, please contact us for different sizes.




PRESSURE AIR TANK - VERTICAL

Oxygen Air Tank

Technical Specifications

	AD 2000	
DESIGN CODES	EN 13445	
	ASME SEC. VIII DIV.1	
DESIGN PRESSURE	10 / 16 / 40 Bar	
TEST PRESSURE	15 / 24 / 60 Bar	



PRODUCT CODE	VOLUME (LITERS)	A (mm)	B (mm)	C (mm)
S-VAT 100	100	323	1150	1600
S-VAT 200	200	400	1500	1950
S-VAT 300	300	550	1200	1760
S-VAT 500	500	600	1500	2090
S-VAT 750	750	750	1500	2130
S-VAT 1000	1000	850	1500	2200
S-VAT 1500	1500	1000	1500	2260
S-VAT 2000	2000	1150	1500	2340
S-VAT 3000	3000	1400	1500	2480
S-VAT 4000	4000	1600	1500	2600
S-VAT 5000	5000	1600	2000	3100
S-VAT 6000	6000	1600	2500	3600
S-VAT 8000	8000	1600	3500	4600
S-VAT 10000	10000	1600	4500	5600

Above mentioned items are our standard products, please contact us for different sizes.

Certificates and Brand Registry Documents

We believe that the way to the summit passes through high-quality and reliable manufacturing.

































Address : Başkent OSB Başkent Bulvarı No:81

Phone Fax +90 312 394 61 95

E-mail : sumer@sumeras.com











